

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Rygel Organowett Penetrant

Active Constituent: 1020 g/L POLYETHER MODIFIED POLYSILOXANE

A Non-Ionic Wetter/Spreader/Penetrant for Use with Agricultural Pesticides

APVMA Approval No: 58290/0204

Pack Size: 10L, 20L, 200L

GENERAL INSTRUCTIONS

Rygel Organowett Penetrant is an organosilicone based surfactant containing a unique blend of various polymers. Rygel Organowett Penetrant is a highly efficient wetter/spreader/penetrant. Rygel Organowett Penetrant is effective with most agricultural chemicals unless otherwise stated on the label.

MIXING INSTRUCTIONS

1. Mix Herbicide/Fungicide/Insecticide/Foliar Micro-Nutrient product with water when tank is about 30% full.
2. When tank is nearly full add Rygel Organowett Penetrant.
3. Complete filling tank.

While Rygel Organowett Penetrant has been proven to be a highly efficient surfactant, timing, weather conditions, method of application and/or mixture with other chemicals not specifically recommended are beyond the control of the seller. Therefore the user should carefully observe spray deposits, rate efficiencies compatibilities and effectiveness in initial applications and adjust the adjuvant accordingly.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, waterways or rivers with the chemical or the used container.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN

Store in the closed, original container in a well-ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, puncture and bury empty containers in a local authority landfill. If no landfill is available, bury containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Do not get on skin or on clothing. Causes eye irritation. Do not get in eyes. Harmful if swallowed. Avoid breathing vapour or mist. Avoid using product

in a manner as to directly, or through drift, expose workers or other persons. Always follow the precautionary statements on the label of the pesticide(s) that are to be used with Rygel Organowett Penetrant.

Applicators and other handlers must wear goggles or facial splash shield; chemical resistant gloves, such as nitrile rubber > 14mm or neoprene rubber >14mm; coveralls or long sleeved shirt and long pants, shoes plus socks and mists filtering respirator. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use wash goggles or face shield, gloves and any contaminated clothing.

For additional Safety Directions refer to the pesticide label.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Telephone: 13 11 26). If skin contact occurs remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet (MSDS).

CONDITIONS OF SALE

The use of Rygel Organowett Penetrant being beyond the control of the manufacturer, no warranty expressed or implied is given by Rygel Australia Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Rygel Australia Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.

In an Emergency Dial 000 Police or Fire Brigade

DIRECTIONS FOR USE – ALL STATES

Situation	Rate (per 100L spray mixture)	Critical Comments
Fungicides	30-60mL	
Insecticides, Miticides	30-60mL	The use rates of Rygel Organowett Penetrant are given as a guide only.
Foliar Micro-Nutrients	30-60mL	
Herbicides:		Always following the directions of pesticide label where an organosilicone is recommended.
General Post Emergent	50-100mL	
General Low Volume	100-200mL	Do not use if pesticide manufacturer prohibits surfactants.
Glyphosate, Metsulfuron on:	200mL	
Gorse/Bracken	100mL Hand boom	
Brushy/Woody Weeds	200mL Boom spray	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS
AUTHORISED UNDER APPROPRIATE LEGISLATION**