

## CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Rygel

# Sonar Non-Ionic Surfactant

Active Constituent: 530 g/L TALLOW AMINE ETHOXYLATE & 410 g/L ETHOXYLATED ALCOHOL

Wetting a Wetting and spreading agent and adjuvant for use with Rygel ClearUp 840 Dri-Flo Herbicide.

APVMA Approval No: 59501/0406

Pack Sizes: 5L, 10L, 20L, 110L, 200L

### GENERAL INSTRUCTIONS

Rygel SONAR Non-Ionic Surfactant will assist wetting of plant surfaces, giving more uniform spray coverage and increased retention of the applied spray.

Measure the required amount of Rygel SONAR Non-Ionic Surfactant and add to the spray tank near the end of the filling process to minimise foaming.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do not contaminate ponds, streams, rivers or waterways with the chemical or used container.

### STORAGE AND DISPOSAL

Store in the closed original container in a cool, well ventilated area. Do not store for prolonged period in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers to below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

In an Emergency Dial 000 Police or Fire Brigade

### SAFETY DIRECTIONS

Will irritate the eyes, nose, throat and skin. Avoid contact with eyes and skin. When preparing product for use, wear elbow length PVC gloves, overalls and face shield. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed, do NOT induce vomiting. Give a glass of water.

If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

### MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can be obtained from the supplier.

### CONDITIONS OF SALE

The use of Rygel Sonar Non-Ionic Surfactant being beyond the control of the manufacturer, no warranty expressed or implied is given by Rygel Australia Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Rygel Australia Pty Ltd accepts no responsibility for any consequences whatsoever resulting from the use of this product.

### DIRECTIONS FOR USE

| Situation  | Rate   | Critical Comments  |
|--|--|--|
| For use with Rygel ClearUp 840 Dri-Flo Herbicide | 300mL to 500mL per kg of Rygel ClearUp 840 Dri-Flo Herbicide.<br>For example:<br>At the label rate of 420g/ha of Rygel ClearUp 840 Dri-Flo you would require 125-210mL/ha Sonar. | Use down to the lower rate only when the maximum label rate of Rygel ClearUp 840 Dri-Flo Herbicide is used for a particular situation and when the weeds to be sprayed are: <ul style="list-style-type: none"><li>• Immature; Actively growing</li><li>• Not waxy, hairy or hard to wet</li></ul> In all other situations use the higher rate. |

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**